

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-41. (Canceled)

42. (Currently Amended) A child seat comprising:  
a base configured to include a belt path to receive a lapbelt of an automobile restraint system and having a seating surface;  
an armrest connected to the base on a side of the seating surface;  
wherein the armrest is adjustable along a straight line between first and second positions; and  
wherein the armrest includes a connecting portion that slidably fits into a corresponding receiving portion of the base.

43. (Original) The seat of claim 42, wherein the receiving portion includes a slot for receiving a tab located on the connecting portion.

44. (Previously Presented) The seat of claim 43, wherein the receiving portion includes a second slot and wherein the first and second slots correspond to the first and second positions of the armrest.

45. (Previously Presented) The seat of claim 44, wherein the tab is attached to a flexible portion of the connecting portion of the armrest thereby allowing the tab to disengage with the slot when the tab is depressed.

46. (Original) The seat of claim 42, wherein the connecting portion of the armrest includes a pushbutton that engages one of a plurality of holes in the seat base.

47. (Currently Amended) A child seat comprising:  
a base configured to include a belt path to receive a lapbelt of an automobile restraint system and having a seating surface;

an armrest connected to the base on a side of the seating surface;  
wherein the armrest is adjustable along a straight line between first and second positions; and  
wherein the armrest includes a connecting portion that slidably fits over a corresponding receiving portion of the base.

48-58. (Canceled)

59. (Currently Amended) A child seat comprising:  
a base having a seating surface;  
an armrest connected to the base on a side of the seating surface;  
wherein the armrest is adjustable along a straight line between first and second positions;  
wherein the armrest includes a connecting portion that slidably fits over a corresponding receiving portion of the base; and  
wherein the armrest includes holes for receiving protrusions from the receiving portion of the base.

60. (Currently Amended) A child seat comprising:  
a base configured to include a belt path to receive a lapbelt of an automobile restraint system including a seating surface;  
an armrest connected to the base on a side of the seating surface;  
wherein the armrest is adjustable along a straight line in a vertical direction; and  
wherein the armrest includes a tab that fits into a receiving portion of the base.

61. (Previously Presented) A child seat comprising:  
a base configured to include a belt path to receive a lapbelt of an automobile restraint system having a seating surface;  
an armrest connected to the base on a side of the seating surface;  
wherein the armrest is adjustable in a vertical direction;  
wherein the armrest is movable over a receiving portion of the base; and

wherein the receiving portion of the base includes a flexible tab and protrusions.

62. (Previously Presented) A child seat comprising:

a base having a seating surface;

an armrest connected to the base on a side of the seating surface;

wherein the armrest is adjustable between first and second positions;

wherein the armrest includes a connecting portion that fits over a corresponding receiving portion of the base;

wherein the receiving portion includes a flexible tab and a protrusion on the flexible tab; and

wherein the connecting portion includes first and second slots to receive the protrusion, the first and second slots corresponding to the first and second positions, respectively.